



DECLARATION OF PERFORMANCE

N003/DoP/2023-04-24

In accordance with Regulation (EU) No 305/2011 of the European Parliament and of the Council laying down harmonized conditions for the marketing of construction products (CPR EU 305/2011)

- 1. Product type:**
Unique identification code of product-type: **Fiber Cement Flat sheet**
- 2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4):**
KMEW Filtect 16mm, FHxxxxxx*; FWxxxxxx*
16x455x3030
FH/FWxxxxxx* - serial number
- 3. Intended use or uses of construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:** **Cladding (External wall finishes)**
- 4. Name, registered trade name or registered trade mark and contact address of manufacturer as required pursuant Article 11(5):** **KMEW Co LTD**
13 F Crystal Tower, 1-2-27 Shiromi,
Chuo-ku, Osaka 540-6013, Japan
- 5. Contact address:**
Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2): **JAPAN FACADES OÜ**
Harju maakond
Erika tn 2B-27,
10416, Tallinn, Estonia
- 6. AVCP:**
System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR Annex V: **System 4**
- 7. Notified body:**
Name and identification number and of the notified body (in case of the declaration of performance concerning a construction product covered by a harmonized standard): **Initial type testing by the manufacturer.**
Reaction to fire tested by:
LLC "Forest and Wood Products Research and Development Institute"
Notified body: No 2040
Dobeles street 41 , Jelgava, LV-3001, Latvia

Testing report: 1559-1/2015, 1559-2/2015 dated 18.09.2015

Classification report: K17/2015 dated 18.09.2015
- 8. In case the declaration of performance concerning a construction product for which** **N/A**



European Technical Assessment has been issued:

9. Declared performance:

The performance of the product identified in points 1 and 2 is in conformity with the declaration performance in point 9:

Essential characteristics	Performance	Harmonized technical specification
Type of sheets	NT	EN 12467:2012
Intended use category	A	
Class of strength	2	
Mechanical resistance	10,6 MPa	
Apparent density	1,05 kg/m ³	
Reaction to fire <ul style="list-style-type: none">- Fire behavior- Smoke production- Flaming droplets	A2 s1 d0	
Reaction to dangerous substances	No performance determined	
Dimensional variations	Level I	
Durability against warm water	Pass	
Durability against soak/dry	Pass	
Durability against freeze-thaw	Pass	
Durability against heat-rain	Pass	
Water permeability	Pass	

10. Declaration

- This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

KMEW Co., Ltd.
Corporate International Management Operations
Deputy Director
Yusaku Kodama

13F Crystal Tower, 1-2-27 Shiromi, Chuo-ku, Osaka 540-6013, Japan

見玉 雄策
24.04.2023